





**Part number: COC000012 - Model: MOD.14/4 M12 PNP/LED LC2**

Connettore femmina M12 - versione 90°  
M12 female connector - 90° type



Configurazione e colori - vista lato frontale  
Configuration and wires color - front view

**4 POLI / Poles**



Dimension in mm


## TECHNICAL CHARACTERISTICS

|                            |                           |
|----------------------------|---------------------------|
| Connection type:           | M12X1                     |
| Configuration:             | FEMAL                     |
| Number of poles:           | 4                         |
| Led indicator:             | PRESENT                   |
| Cable length:              | 2mt                       |
| Cable jacket material:     | PVC CEI20/22 II           |
| Cable insulation material: | PVC                       |
| Cable jacket colour:       | GREY                      |
| Cable jacket diameter:     | 4.80 +/-0.1               |
| Cable insulation colour:   | BROWN/BLUE/BLACK/WHITE    |
| Cable conductors material: | COPPER TINNED CLASS 6     |
| Cable conductor section:   | 0.25 mmq                  |
| Nut fixing material:       | NICKELLED BRASS           |
| Plug material:             | ABS V0 SELF EXTINGUISHING |
| Pole material:             | PHOSPHOR BRONZE           |
| Pole treatment:            | GOLDEN                    |
| Rated current:             | 4A                        |
| Rated voltage:             | 10÷30Vdc                  |

|                        |              |
|------------------------|--------------|
| IP rating:             | IP67         |
| Operating temperature: | -10° ÷ +80°C |



**MORE THAN SENSORS**



**Part number: COC000012 - Model: MOD.14/4 M12 PNP/LED LC2**